

SPEC SHEET

Capsule Filling Machines <150,000 capsules/hour

CF-M 2500B/C/H, 2505H MODELS

INTRODUCTION

CF-M 2500, 2505 series automatic capsule filling machine is the successor to the NJP-2000 series, designed with new attributes for enhanced all-round performance. Max output is 150,000 capsules/hour for CF-M 2500, 2505 machines.

KEYWORDS Automatic | capsule filling | control system | hard capsule | high volume



ATTRIBUTES

- The CF-M 2500 and 2505 models have enclosed turning tables for easy cleaning
- Single movement for both upper and lower segments with two-lip seal provide a much better sealing performance
- A combined air blowing & suction function on segment cleaning station ensures cleaning efficiency at high speeds
- Dust-preventing rubber block on capsule discharge station

MODEL H HAS THE FOLLOWING CHARACTERISTICS:

- Control system is provided with OPC Server.
- Control system includes FDA CFR211 e-signature and e-recording for work monitoring purposes. Specific user accounts can be created for data and quality management.
- Control system is provided with an industrial grade ethernet interface that connects with the OPC Client.
- A high-capacity hard drive for data recording, meeting current GMP and FDA (Food and Drug Administration) standards.

TECHNICAL PARAMETERS

Model	CF-M 2500B/C/H	CF-M 2505H
Max. Output	150,000 capsules/hour	150,000 capsules/hour
Number of Die Holes	18	18

Machine Specs (All Models)	Filling Dosage Form	Powder, Pellets, Tablet
	Capsule Size	Capsule size 00# - 5# and safety capsule A-E
	Motor Power	3.37kw
	Power Supply	AC 380V; 50Hz
	Noise	≤75dBA
	Vacuum Degree	-0.02~-0.06 MPa
	Compressed Air (clean segment)	Air consumption: 3m ³ /h Pressure: 0.3~0.4 MPa
	Dimensions	1100×1200×1950mm
	Weight	1360kg



Model B



Model C



Model H

While the information has been carefully compiled to the best of our knowledge, nothing is intended as representation or warranty on our part and no statement herein shall be construed as recommendation to infringe existing patents. In the effort to improve our products, we reserve the right to make changes judged to be necessary.